

## **Town of Kingston Springs**

Building and Codes Department P.O. Box 256 396 Spring Street Kingston Springs, TN 37082 Off.615.952.2110 Ext 24 Cell.615.405.5663 parksj@pvvfd.org

## **APPLICATION FOR DRIVEWAY PERMIT**

		PERMIT NUMBER		
on				
	Ny sia aminjana amin'ny fisiana amin'ny sara-da	EXP. DATE		
₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩	Lot:			
Dimension:	Project Value:			
[] New	[] Resurface	[] Relocate		
[] Temporary Access	[] 2 <sup>nd</sup> Access	[] Agriculture Access		
[] Gravel	[] Asphait	[] Concrete		
nformation				
	ione:			
. A state a state of the state	_ City:	State:		
ormation				
an di Managana yang san ang kang san ang kang sang sang sang sang sang sang sang s	_ City:	State:		
		an a		
	Dimension: [] New [] Temporary Access [] Gravel information	Lot:Project Va [] New [] Resurface [] Temporary Access [] 2 <sup>nd</sup> Access [] Gravel [] Asphalt information Pl City:		

PLOT PLAN AND SPECIFICATIONS MUST BE ATTACHED

#### SITE PLAN

ŝ

ŝ

(May include on separate sheet/attachment)

# The site plan must show the following to be accepted: \_\_\_\_\_\_ Include all nearest major cross roads

-	-	

N				
1				
	•			
				1
-				[
				1
				]
				1
				[
1				
1				
	7			
l				
			÷	
1				ļ
1				)
				l
	·			

New Driveways must install an 18 inch culvert and a Type II Headwall NOTE:

I certify that the proposed construction will conform to the dimensions and uses shown above and that no changes will be made without first obtaining approval.

Signature of owner/applicant


Date

### DRIVEWAY INFORMATION SHEET

3.090. <u>Access control</u>. In order to promote the safety of the motorist and pedestrian and to minimize traffic congestion and conflict by reducing the points of contact, the following regulations shall apply:

- A. A point of access for vehicles onto a street shall not exceed thirty (30) feet in width for all residential uses. Such points of access shall not exceed thirty-five (35) feet for all retail and commercial services land uses. For industrial land uses a point of access for vehicles onto a street shall not exceed forty-five (45) feet in width. A minimum of an eighteen (18) inch culvert shall be provided in the ditch line.
- B. There shall be no more than one (1) point of access to any one (1) public street for lots with less than four hundred (400) feet of lot frontage. There shall be a maximum of two (2) points of access to any one (1) public street for lots with four hundred (400) or more feet of lot frontage. (Amended by Ordinance 05-009, June 16, 2005)
- C. No point of access shall be allowed within twenty-five (25) feet of the right-of-way line of any public intersection. On collectors or arterials this minimum shall be forty (40) feet.
- D. No curbs on city streets or right-of-way shall be cut or altered without written approval of the City Manager, and if a state highway, a permit must also be obtained from the Tennessee Department of Transportation.
- E. Where two driveways are provided for one lot frontage, the clear distance between the driveways shall not be less than twenty-five (25) feet.
- F. Cases requiring variances relative to the above provisions due to topographic limitations shall be heard and acted upon by the Board of Zoning Appeals, provided, further, that no curb cuts for off-street automobile storage or parking spaces shall be permitted where the arrangement would require that vehicles back directly onto a public street.

DRAWING A-1



TOP VIEW




TABLE OF DIMENSIONS

F

F

D

15 2-6 5-0 2-6 1-9

18 2'-6 5'-0 2'-6 1'-9

21 2'-6 5'-0 2'-6 1'-9

30 4'-0 8'-6 3'-0 3'-3

42" 5'-6" 8'-0" 3'-6" 4'-5 48" 5'-6" 8'-0" 3'-6" 4'-5

60 7-0 9-5 4-6 5-9

65 8-6 11-0 5-6 6-11

72 8'-6 11'-0 5'-6 8'-11

4-0 6-6 3-0 3-5

5'-6 8'-0 3'-6 4'-5

7-0 9'-5 4'-6 5'-9

т

(MAHL)

6

6

6

5

8

6

б

6

6

6

б

SIDE VIEW


Α

PPE SZES

24

36

54



FRONT VIEW

CONCRETE: 4000 PSI AT 28 DAYS REINFORCED WITH NO. 4 BARS @ 10" C/C EACH WAY WITH WINGS AND TOE SLAB DOWELLED TO HEADWALL WITH NO. 5 BARS.

3/4" CHAMFER ON ALL EXPOSED EDGES.

## **REINFORCED CONCRETE HEADWALL**

### ZONING VERIFICATION

The Zoning Ordinance can be read online at www.kingstonsprings.net

### SUBJECT PROPERTY:

INTENDED USE OF PROPERTY:

Check all that apply:

NEW BUILDING CONSTRUCTION WILL OCCUR

\_\_\_\_EXISTING STRUCTURE TO BE USED.

\_\_\_\_\_REMODELING OF EXISTING LOCATION TO OCCUR.

ACCESSORY STRUCTURE ONLY (STORAGE, GARAGE, SWIMMING POOL

DRIVEWAY, ROOF OR FENCE STRUCTURE TO BE CONSTRUCTED

I hereby state that I have read the requirements and permitted uses of the Zoning District listed above and understand their limits.

Applicant Signature

Date

Applicant Printed Name

### **APPLICANT - DO NOT WRITE BELOW THIS LINE**

This zoning verification must be signed by the appropriate Town official before ANY building permits can be approved or issued.

\_\_\_\_\_ The proposed use for the subject property is appropriate for its current zoning district.

\_\_\_\_\_ The proposed use for the subject property is NOT appropriate for its current zoning district.

Verified by: \_\_\_\_\_

Town of Kingston Springs, Tennessee

Date

### **\*\*DOUBLE PERMIT FEES WILL BE CHARGED FOR WORK STARTED** PRIOR TO OBTAINING PERMITS\*\*

Permit Fees: \$ 25.00 Driveway (32609)

Date Paid\_\_\_\_\_

Amt. Paid\_\_\_\_\_

Receipt No.\_\_\_\_\_

Office Use Only

Approved/Rejected By\_\_\_\_\_\_ on\_\_\_\_\_

Comments: